

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026 - 2027

Clinical Material in Hospital

Name of College/Institute:- Dr. Rajendra Gode Institute of Nursing, Amravati
Faculty :- Nursing

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site	Total Parent & Affiliated Hospital is more Than 880 Beds Available	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	YES	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual	1:10	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%) 85 %	85%	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	NA
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	YES	Adequate
<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate"& do not attach any Documents it should be available on college website • In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
Any Other, Please Specify:-

Date:-

Chairman of LIC

Member Of LIC

Dean/ Principal Stamp & Signature

Principal
Dr. Rajendra Gode Institute of
Nursing, Amravati-444602 (MH)
Member Of LIC



महाराष्ट्र MAHARASHTRA

2025

47AB 577272

अ.क्र.

१६००

अजय ज. खुळे

दिनांक 23/4/2027

मुद्रांक विक्रेता

अमरावती कॅम्प

नाव:- डॉ. राजेंद्र गोडे इंस्टीट्यूट ऑफ नर्सिंग, अ.नं. ३/२०००

उत्सव मशीन

गाव

हस्ते लिखित

MEMORENDUM OF UNDERSTANDING (Revise)

THE MEMORENDUM OF UNDERSTANDING is made on 22... this day 22 May 2025 BY AND BETWEEN The 2030.

Dr. Rajendra Gode Institute of Nursing Amravati represented by the Principal of the

FIRST PART

AND

Manas Hospital, Amravati represented by the Main Trustee Dr. Shrikant Deshmukh Manas Hospital, Amravati of the SECOND PART

PURPOSE OF MOU

1. According to Indian Nursing Council Norms, If any member of the parent society hospital in other society then in that case it can be consider that parent society is having their own hospital.

Notary



2. Second part of this MOU is having 100 bedded hospital at Amravati namely Manas Hospital, Amravati. The Hospital is registered under the relevant provision of law.
3. First part of this MOU is run by namely Dr. Rajendra Gode Institute of Nursing Amravati, Principal .
4. Therefore, As per point no.1 Manas Hospital, Amravati can be consider / treated as their affiliated hospital.

NOW THE PARTIES HERE TO AGREE AS FOLLOWS:-

1. The Hospital during the period of B.Sc (N) & Post Basic B Sc Nursing permitted to issue permission Dr. Rajendra Gode Institute of Nursing Amravati
2. If any kind of damage is done then it is all together responsibility of the Nursing Collage.
3. It is the duty of Nursing institute to provide necessary facilities and appoint faculty as required as per Indian Nursing Council norms.

If any of the condition is brunched by the Nursing institute, the first has exclusive power to terminate this MOU

ATTESTED THE SIGNATURE OF THE EXECUTANT NOT RESPONSIBLE FOR THE CONTENTS OF THIS DOCUMENT.

DURATION OF MEMORANDUM OF UNDERSTANDING


The MOU will remain in force till B.Sc (N) & Post Basic B Sc Nursing course Affiliated to MUHS, Nashik [For a period of three academic years]

IN WITNESS WHEREOF the parties hereto have signed and delivered this MOU

_____ in presence of

N.R.S. No. 1264 / 2025

THIS DOCUMENT CONTAINS.....02.....PAGES



Notary

[Signature]
WITNESS NO.1

[Signature]
Principal
Dr. Rajendra Gode Institute of Nursing Amravati (438602 MH)
Dr. Rajendra Gode Institute of Nursing Amravati

WITNESS NO.2
[Signature]
[Signature]

[Signature]
Dr. Shrikant Deshmukh
Manas Hospital, Amravati
Reg. No. 11218 MDDPM (Mumbai)
Represented by Main Trustee
PSYCHIATRIST
Joglekar Plot, Congress Nagar Road,
AMRAVATI, M.S. - 431 002

ATTESTED BY ME
[Signature]
12/8/25
Ambarish Pralhadrao Deshmukh
ADVOCATE & NOTARY
"Ambarish", Infront of
Police Commissioner Bungalows,
Nr. Reser Police Line Camp,
Amravati, M.S.-India
Reg. No. 11218



भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

100

ONE HUNDRED

सत्यमेव जयते

भारत INDIA
INDIA NON JUDICIAL



महाराष्ट्र MAHARASHTRA

2025

47AB 577273

अ.क्र.

१३०९

अजय ज. खुळे

दिनांक 23/4/2024

मुद्रांक विक्रेता

अमरावती कॅम्प

नाव:- डॉ. राजेंद्र गोंडे इंडिया नं. ३/२०००

अजय ज. खुळे

हात दिवस Dr. Rajendra



MEMORANDUM OF UNDERSTANDING

Between

Dr. Rajendra Gode Medical College & Hospital, Amravati

And

Dr. Rajendra Gode College of Nursing, Amravati

This Memorandum of Understanding (MoU) is made on this 01.04.2025, at Amravati, between:

Dr. Rajendra Gode Medical College & Hospital, Amravati (hereinafter referred to as "DRGMCH"), situated at Amravati, Maharashtra, managed by Indira Bahuuddeshiya Shikshan Sanstha, Buldhana, represented by its Dean/Director, which is the First Party.

And

Dr. Rajendra Gode College of Nursing, Amravati (hereinafter referred to as "DRGION"), also managed by Indira Bahuuddeshiya Shikshan Sanstha, Buldhana, represented by its Principal, which is the Second Party.

Notary

Purpose of the MoU

The purpose of this MoU is to formalize the arrangement between the First Party and the Second Party for allowing the students of the Nursing College to undergo Community Health Nursing and other relevant field training at DRGMCH's Rural Health Training Centre (RHTC), Pimpalkhuta & Urban Health Training center (UHTC) Asir Colony Amravati

Terms & Conditions

1. Training Facility - DRGMCH shall permit the students of Nursing College to utilize its Rural Health Training Centre (RHTC) Pimpalkhuta & Urban Health Training center (UHTC) Asir Colony Amravati, for the purpose of clinical/community health training as per the curriculum requirements.
2. Training Schedule - The schedule and duration of training shall be mutually agreed upon in advance by the authorized representatives of both institutions.
3. Supervision & Faculty - The training will be conducted under the supervision of qualified faculty from Nursing College, with support from DRGMCH's RHTC staff & UHTC Staff as and when required.
4. Infrastructure & Facilities - DRGMCH shall provide access to RHTC's facilities, UHTC Facilities, patients, community records, and field areas necessary for the prescribed training activities.
5. Code of Conduct - Students and faculty of Nursing College shall adhere to all rules, regulations, and ethical guidelines of DRGMCH during the training period.
6. Financial Arrangements - Since both institutions are managed by the same trust, no training fee will be charged. However, any consumables or special resources required for training shall be arranged mutually.

Liability & Safety - The Nursing College shall ensure that all students are covered under appropriate insurance, if applicable, and will be responsible for their conduct and safety during training.

Duration of MoU - This MoU shall remain in force for FIVE (5) years from the date of signing and may be renewed thereafter by mutual consent.

Amendment & Termination - This MoU may be amended by written consent of both parties. Either party may terminate the MoU by giving one month's written notice.

Signatures

For Dr. Rajendra Gode Medical College & Hospital, Amravati

Name: Dr. Sudha S Jain

Designation: Dean / Director

Date: 22/5/25

Seal & Signature
Dr. Rajendra Gode Medical College, Amravati

For Dr. Rajendra Gode College of Nursing, Amravati

Name: MS. PARASAKTHI M.

Designation: Principal

Date: 01.04.2025


Seal & Signature
Dr. Rajendra Gode College of Nursing, Amravati

Witnesses:

1. Name: Ms. Minnal Byasen Signature: [Signature] Date: 22/5/2025

2. Name: Mr. Anand Thakur Signature: [Signature] Date: 22/05/2025

ATTESTED BY ME
Ambarish Prathad Rao Deshmukh
ADVOCATE & NOTARY
"Ambarish", Infront of
Police Commissioner Bungalows,
Nr. Reserve Police Line Camp,
Amravati, M.S.-India
Reg. No. 11218



Notary

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/S.S.I
No:- Format1.0/CAC/UAN
No.0000124559/CE/2202001269

Date: 20/02/2022

To,
Dr. Rajendra Gode Multispeciality And General
Hospital,
G. No. 29, Near Achyut Maharaj Heart Hospital, Mardi
Road, Ghatkheda, Dist. Amravati - 444 602.



Sub: Grant of Combined Consent to Establish & BMW Authorization for 350 Bedded Hospital.

- Ref:**
1. Your application for Combined Consent and Bio-Medical Authorization UAN No. 0000124559 dated 27.10.2021.
 2. Minutes of Consent Appraisal Committee meeting held on 03.12.2021.

Combined Consent to Establish and BMW Authorization.

For: Under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent to establish is granted for a period up to commissioning of the unit or up to 5 year whichever is earlier.
2. The capital investment of the project is Rs.1.85 Crs. (As per C.A Certificate submitted by industry).
3. The Consent is valid for the Activity of

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	350	Nos
b)	Total Plot Area	74900.00	Sq.Mtrs
c)	Total Built up Area	1305.92	Sq.Mtrs

4. Conditions under Water (P&CP) Act, 1974 for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to Acheive	Disposal
1.	Trade effluent	3	As per Schedule -I	Sent to STP after disinfection
2.	Domestic effluent	175	As per Schedule - I	Applied on land for gardening

Attested

Principal

DRGIOW, Amravati

5. **Conditions under the Air (P& CP) Act, 1981 for air emissions:**

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	D.G. Set (135 KVA)	1	As per Schedule -II

6. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:**

Sr No	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal
1		NA	0	--NA--	NA	NA

7. **Conditions about Non Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	NA	0	--NA--	NA	NA

8. **Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:**

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	25.00	Yellow colored non- chlorinated plastic bags	CBMWTSDF M/s Global Eco Save Systems
		b) Soiled Waste	40.00		
		c) Expired or Discarded Medicines	15.00		
		d) Chemical Liquid Waste	15.00		
		e) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	25.00		
2	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDF M/s Global Eco Save Systems

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

- HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. if any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
- HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
- HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
- Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
- In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
- HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.

[Signature]
Attested
Principal

10. This consent is issued subject to conditions mentioned below:

- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
- c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
- d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"?
- e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
- f. You shall establish Bar code system within one year.
- g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
- h. You shall maintain day to day basis and display the monthly record Including Annual report on its website within two years from the date of Notification.
- i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
- j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
- k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.

11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

13. PP shall provide comprehensive pollution control system of adequate capacity to achieve the Consented norms.

14. PP shall submit Bank Guarantee of Rs. 25 Lakh towards compliance of Consent conditions.



Ramesh

53b629a0
c6bc96bd
063c4227
a623242d
789df10c
48123b78
f8alaee0
44243352

Signed by: Ashok Shingare
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2022-02-25 18:12:41 IST

Ashok Shingare
Attested
Principal
DRGION, Amravati

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2102000004	01/02/2021	Online Payment
2	10000.00	TXN2102000005	01/02/2021	Online Payment

Copy to:

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Amravati
- They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. CAC-Cell, M.P.C. Board, Sion, Mumbai for data updating purpose.



Attested
Attested
Principal
DRGION, Amravati

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:


1. A) As per your application, you have proposed to provide Effluent Treatment Plant (ETP) of designed capacity of 5 CMD consisting of primary treatment for disinfection with Sodium Hypochlorite solution of 3 CMD trade effluent that will be generated from Laboratory, Blood Bank, Operation Theatre etc.
- B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Standards
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
(1)	pH	5.5 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	30 mg/l
(4)	Total Suspended Solids	100

- C) The partially treated trade effluent after disinfection shall be sent to STP for further treatment & disposal. In no case, sewage shall find its way for gardening / outside hospital premises.
2. A) As per your application, you have provided Sewage Treatment Plant of designed capacity 400 CMD with MBBR technology for the treatment of 175 CMD of sewage.
 - B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	30 mg/l
2	COD	Not to exceed	50 mg/l
3	Suspended Solids	Not to exceed	100 mg/l

- C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way for gardening / outside hospital premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
 4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.


Attested
Principal
DRGION, Anravati

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	220.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	3.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to provide the Air pollution control (APC) system and also to erect following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂
S-1	D.G. Set (135 KVA)	Acoustic Enclosure/ Stack	3	Diesel	10 Kg/Hr	1.00	5.00

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

Attested

- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.

SCHEDULE-III
Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C2E	2500000	Within 15 days	Towards compliance of Consent to Establish conditions	31.01.2027	31.05.2027

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	0
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	0
1B	Records		
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	0
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	0
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	0

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV


General Conditions:

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
3. You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
4. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, , the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during *their visit to the HCE.*

MY
Attested

10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

This certificate is digitally & electronically signed.


Attested

Principal
REGION, Amravati



Public Health Department
(PRE-NATAL DIAGNOSTIC TECHNIQUES (REGULATION
AND PREVENTION OF MISUSE) RULES, 1996)

SCHEDULE III

CERTIFICATE OF REGISTRATION

- In exercise of the powers conferred under Sec. 19 (1) of the Pre-natal Diagnostic Techniques (Regulation and Prevention of Misuse) Act 1994 (57 of 1994), the Appropriate Authority, CIVIL SURGEON
DISTRICT GENERAL HOSPITAL, AMRAVATI. Hereby grants registration to the Genetic Counselling Centre* / Genetic Laboratory* / Genetic Clinic* named below for purposes of carrying out Genetic Counselling Pre-natal Diagnostic Procedures* / Pre-natal Diagnostic Tests as defined in the aforesaid Act for a period of five years ending on 28/10/2026
- This registration is granted subject to the aforesaid Act and Rules thereunder and any contravention thereof shall result in suspension or cancellation of this Certificate of Registration before the expiry of the said period of five years.
 - Name and address of the Genetic Counselling* / Genetic Laboratory* / Genetic Clinic*
Dr. Rajendra Medical College and Hospital, Mardi
Road, Amravati.
 - Name of Applicant for registration. Dr. Manish Pathi, Dr. Akshay
Borkar (DMRE), Dr. Prasad Jaiswal (DMRE), Dr. Ajay Thakare
(DMRE)
 - Pre-natal diagnostic procedures approved for (Genetic Clinic)

(i) Ultrasound	(ii) Amniocentesis (IX) <u>CT SCAN</u> <u>Dr. Jyotika Thambare</u> <u>(Radiology)</u>
(iii) Chorionic villi biopsy	(iv) Foetoscopy
(v) Foetal skin or organ biopsy	(vi) Cordocentesis
(vii) Any other (specify)	(vii) <u>2D ECO - Dr. Aditya Gupta (DM. Cardi)</u>
	(viii) <u>MRI</u>
 - Pre-natal diagnostic tests approved (for Genetic Laboratory)

(i) Chromosomal studies	(ii) Biochemical studies
(iii) Molecular studies	
- Registration No. allotted CS-82

① Samsung, sr. No. S240M3HT9000 30R
② Samsung, sr. No. S240M3HT9000 16A
③ KOREA, sr. No. S24M3HT9000 16A (2DEC)
- For renewed Certificate of Registration only
Period of validity of earlier Certificate From 09/10/2021 To 28/10/2026 or Registration.



(Signature)

Signature, name and designation of
the Appropriate Authority.....

Date: 13/01/2025

Attested
Principal
REGION, Amravati

Health Department Zilla Parishad Amravati

जाक/जिप/आवि/द.नु./१९४९/२५ कार्यालय : (आरोग्य विभाग) जि.प.अमरावती दिनांक : 11/04/2025.

सन १९४९ च्या बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट कलम ५ अन्वये दिलेले रजिस्ट्रेशन/रिन्युअल सर्टिफिकेट

Certificate Of Registration Under Section 5 of the Bombay Nursing Homes Registration/Reneval Act 1949 (under Rule 5)

क्रमांक 18/ No.18

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ अन्वये, डॉ. राजेंद्र गोडे मेडीकल कॉलेज अॅन्ड हॉस्पिटल, अमरावती ता.जि.अमरावती येथिल नर्सिंग होम, दवाखाना रजिस्टर केले असुन सदरचे नर्सिंग होम, दवाखाना चालविण्याचा परवाना देण्यात आलेला असुन नुतर्णीकरण प्रमाणपत्र देण्यात येत आहे.

This is to certify that **Dr.Rajendra Gode Medical College & Hospital, Amravati** has been registerd under the Bombay Nursing Homes Registration Act -1949 in respect of situated at **Near Achyut Maharaj Heart Hospital, Mardi Road , Amravati Tq. & Dist.Amravati.** has been authorised to carried out the said Nursing Homes Activites. So gives the renewal certificate.

रजिस्ट्रेशन क्र.१८

Registrarion No...18..	प्रसुतीसाठी Maternity	९० कॉट्स 90 Cots
रजिस्ट्रेशन दिनांक १२/०६/२०२३ Registration Date 12/06/23	इतर कारणासाठी Other Nursing Patients	७९० कॉट्स 790 Cots

ठिकाण / Place- Amravati

District Health Officer
Zillha Parishad Amravati

नुतर्णीकरण नोंदणी सर्टिफिकेट दिल्याचा दिनांक 25/04/2025
Date Of issue of Renewal Certificate 25/04/2025

सदरचे सर्टिफिकेट दि.३१ मार्च २०२८ पर्यंत कार्यान्वयीत राहील.
This Certificate Shall be Valid up to 31 March 2028

टिप:- आंतररक्षण व बाह्यरक्षण यांच्या सेवेत वाढ होण्याचे दुर्धिन व जागृतात नेरून दिलेल्या घटी व शक्ती च्या आधीत राहून या रूग्णातयास नोंदणी नुतर्णीकरण प्रमाणपत्र देण्यात येत आहे. आपले रूग्णातयात हाणा या इतर माहिती वेद्यकिय अधिकाारी, प्राथमिक आरोग्य केंद्र माती यांना दरमहा सादर करण्यात यावी.

Attested
Principal
DRGION, Amravati